



Recovery Housing Research Brief

The Efficacy of Recovery Housing



Abstinence Rates

Generally, participants in recovery housing have twice the abstinence rates compared to "care as usual".

Research consistently demonstrates that individuals living in recovery housing achieve higher rates of continuous abstinence and accumulate more days of abstinence than comparable individuals who do not live in recovery housing. Contemporary studies often measure "days of abstinence" over a given period rather than expecting uninterrupted abstinence, recognizing that relapse can occur during recovery. Findings show that residents in recovery housing have significantly higher abstinence rates compared to those receiving usual care without housing support. Conversely, relapse rates are nearly twice as high among individuals who are not in recovery housing.

With Recovery Housing	Without Recovery Housing	
Recovery Housing abstinence rates ranging from 6 months to 18 months	Abstinence among similarly matched "care as usual" individuals with no recovery housing ranging 6 months to 18 months	
69% abstinent	35% abstinent	(Jason, et al, 2006)
62% abstinent	27% abstinent	(Reif, et al, 2014)
50% abstinent	37% abstinent	(Tuten, et al, 2017)

*Other studies in recovery housing show abstinence rates of ~68% (45.5%-91%) assessed at varying lengths of time (Korcha et al., 2016; Lo Sasso et al., 2012; Mericle et al., 2019).



Treatment Retention Rates

Generally, participants in recovery housing have twice the treatment retention rates compared to "care as usual".

Research indicates that outpatient clients who live in recovery housing remain in treatment significantly longer than those who do not (Mericle et al., 2022). One study found an outpatient retention rate of 89% among residents in recovery housing, compared to a national average of approximately 43% for outpatient treatment completion (Polcin et al., 2010). Similarly, individuals receiving medication-assisted treatment (MAT) demonstrate higher retention rates when residing in recovery housing (Miles et al., 2020).



Recidivism Rates

Numerous studies have found that recovery housing is associated with reduced recidivism and lower arrest rates (Polcin, 2010, 2018; Hiller et al., 1999; Prendergast et al., 2004; Martin et al., 2011). For example, a 2015 study reported that residents of recovery housing had a 3% incarceration rate, compared to 9% among participants receiving usual care without housing support.



Mental Health Symptoms

Many studies have shown that residents of recovery housing experience significant improvements in mental health symptoms (Guerrero et al., 2022; Polcin et al., 2010, 2017, 2018, 2023; Reif et al., 2014; Wilkerson et al., 2024).



Employment Rates

Numerous studies show participants in recovery housing have significantly higher rates of employment and number of days of work. These studies also show higher income among recovery housing residents compared to "care as usual".

With Recovery Housing	Without Recovery Housing	
Employment rates with recovery housing 1 month to 24 months	Employment rates among similarly matched "care as usual" individuals with no recovery housing ranging 1 month to 24 months	
43% were employed	27% were employed	(Reif, et al, 2014)
37.7% were employed	29.5% were employed	(Tuten, et al, 2017)
76.1% were employed	48.6% were employed	(Jason, et al, 2010)
Income with Recovery Housing	Income without Recovery Housing	
Average \$989/month	Average \$440/month	(Jason, et al, 2015)

NARR

Research Supports NARR Standards of Practice

There have been many studies on general "sober living residences" and Oxford Houses. There have been few studies that have specifically examined NARR Accredited "sober living residences". However, one major study examined the characteristics of Oxford Houses and sober living residences, including NARR accredited recovery residences (Mericle, 2019). The findings reveal housing characteristics with the elements of NARR accredited recovery housing:

CCAPP is the NARR Affiliate for the State of California

- Recovery Housing Programs:** Homes affiliated/under the umbrella of a larger organization with multiple houses were associated with improved outcomes. This is likely due to economies of scale where cost savings can be reinvested into house improvements as well as more or better-trained managers. These homes presented higher abstinence rates and employment rates (aOR=2.92, p=0.003, 2.9x greater odds of employment) and were more likely to be affiliated with a treatment program.
- Affiliated with Treatment:** Recovery homes that were affiliated with a treatment program were associated with increased odds of total abstinence (aOR=2.56, p=0.045, 2.6x greater odds of total abstinence).
- Working with Probation & Parole:** Recovery homes with referral agreements with parole/probation were associated with decreased odds of arrests (aOR=0.55, p=0.025, half the odds to be arrested) and increased odds of employment (aOR=2.43, p=0.006, 2.4x greater odds to be employed). Also, homes that required prospective residents to have 30 or more days of sobriety prior to entry were associated with decreased odds of arrests (aOR=0.43, p=0.003, nearly half the odds to be arrested).
- Recovery Community within Housing "The Social Model of Recovery":** Recovery homes that facilitated a Social Model of Recovery similar to 12-communities (capitalizing on peer residents supporting each other) and mandated participation in mutual aid community recovery meetings had superior outcomes. Crucially, peer-based recovery capital matters more than individual readiness—highlighting how much "where you recover" can shape "how you recover" (Jason et al, 2020).



2025 Systematic Review

Gold Standard Research

Recovery housing has been shown to outperform "care as usual" across several outcomes, including abstinence, employment, income, and reduced criminal charges (incarceration effects smaller). In one head to head direct comparison, recovery housing also outperformed other residential settings in alcohol abstinence and days of use. Additionally, recovery housing demonstrated greater cost-effectiveness than alternative models of care. Despite these positive findings, the overall evidence base remains limited by a lack of high-quality controlled studies. As a result, researchers rated the scientific support as "moderate." Nonetheless, they concluded that recovery housing is at minimum a "promising intervention" that can support individuals with substance use disorders (SUD)—particularly those with limited resources, high clinical needs, and histories of criminal legal involvement—by increasing their chances of remission and long-term recovery (Vilsaint et al., 2025).



Specialty Recovery Housing

MOUD Recovery Housing: Many studies show that residents utilizing Medication for Opioid Use Disorder (MOUD) specialty housing feel more accepted, less stigmatized, and have significantly higher retention rates in both housing and MOUD treatment services. Studies show superior outcomes (lower relapse, better employment) and reduced overdoses with MOUD retention. (Gallardo et al., 2024; Majer et al., 2020; Miles et al., 2020; Soto-Nevarez et al., 2023; Wilkerson et al., 2024; Wood et al., 2022). A 2025 study of recovery houses in Florida showed that 53% of houses refused admission to those in MOUD, 31% had conditional admission (often including taper), and 16% had unconditional admission (Guido et al., 2025).

NARR Certification
requires unconditional admission for those in MOUD, and all NARR houses must have Naloxone overdose kits

Family Recovery Housing: Research shows that recovery housing with children present is associated with higher rates of long-term abstinence, regardless of whether the resident is a parent. The presence of children fosters greater responsibility in the home, which is linked to positive recovery outcomes (Legler et al., 2012).

African American/Black Recovery Housing: Longitudinal, multi-level studies indicate that African American/Black residents benefit as much—and often more—from recovery housing than other groups. Recovery housing not only supports individual recovery but also helps reduce racial health disparities in substance use outcomes (Jason et al., 2022).

Latinx Recovery Housing: Studies of culturally specific recovery housing show that collectivist values among Latino residents are linked to longer stays and reduced relapse risk. These findings support the importance of culturally tailored housing models that emphasize communal engagement and collective support (Jason et al., 2018).

American Indian Recovery Housing: Multiple studies highlight the effectiveness of recovery housing in Native communities. The democratic principles and communal structure within recovery housing align closely with traditional tribal decision-making, fostering acceptance and engagement. Outcomes in Native American recovery housing are comparable to those in other recovery housing models (Jason et al., 2006, 2019).

LGBTQ Recovery Housing: LGBTQ-specific recovery housing addresses syndemic needs through culturally informed approaches and intentional community-building. Outcomes are generally comparable to recovery housing overall, but one study reported a 91% abstinence rate—well above the average for general recovery housing (Beasley et al., 2017; Mericle et al., 2019, 2020).



CCAPP-Certified California Recovery Residence Providers (2025)

Abc Recovery Homes	Divine Healthcare Services, Inc. Recovery	Los Angeles Recovery Connect	Recovery Survival Network (RSN)	The Discipleship Home
Active Change Recovery Inc	Bridge Housing (RBH)	Lotus Legacy	Restorative Partners	The Lemonade House
Another Way LLC	Don't Be Afraid To Change	Mahalo House - Akua	Rising Roots Recovery	The Next Step SLE
Awakening Recovery Bridges, Inc	Embrace Life/Delta	Behavioral Health, Inc.	Ritual Living	The PAAR Center SLE
By Grace Recovery C.U.R.A., Inc	Housing Solutions	Mom's Place	Sacramento Recovery	The Skytte Foundation, Inc.
Casa Solana	Encompass	Monarch Sober Homes	House - Friends House	Valley Luxury Living
Catholic Charities Of Northern Nevada	Enrichment Sober Living	Moss Sober Living Home	Saint John's Program	Valley Recovery
Canyon View Sober Living Cedar House	G & C Swan Inc	New Hope Village	Saint Martin Foundation	Resources Redwood
Community Social Model Advocates	Gemini Recovery LLC	Nirvana	Second Chance Recovery	Family Center
Concord Community Care Core Values Housing CRI-Help, Inc	Good Samaritan Shelter	Options Recovery	Serendipity Sober Living	Varp
D&J Sober Living Daniel House	Gracious Wellsprings Grandview	Orion Transitional	Serenity Homes	Volunteers of America
Discipleship Home	His Way Recovery House	PAAR Center	Serenity House	Waves of Hope
	Hope Sober Living Homes	Pacific Oasis Recovery	Sober Living Today, LLC	Westcare of CA
	Housing Solved LLC IVRS	Paths Straight to Recovery	Stairway Resource Center	Zermatt Transitional
	Kingstone Recovery Life House Recovery	Premiere Stays	Stalwart Clean & Sober	Living
	Connection	Progress House	Summit Recovery Housing	
	Lily Pad Living	Promise Sober Living	Foundation	
		Ranch Recovery Centers, Inc.	THCC Housing	
		Recovery In Action	The Cottages Women's	
			Sober Living	



References

1. Beasley, C., Callahan, S., Stecker, E., Dekhtyar, M., Yang-Atian, C., Ponziano, F., Isler, B., & Jason, L. A. (2017). Qualitative study of transgender women and cisgender men living together in two recovery homes. *Archives of Addiction and Rehabilitation*, 1, 104–111.
2. Best, D., Sondhi, A., Best, J., Lehman, J., Grimes, A., Conner, M., & DeTriquet, R. (2023). Using recovery capital to predict retention and change in recovery residences in Virginia, USA. *Alcoholism Treatment Quarterly*, 41(2), 250–262. <https://doi.org/10.1080/07347324.2023.2182246>
3. Bobak, T. J., Arjmand, N., O'Brien, C., Islam, M., & Jason, L. A. (2023). A pilot program focusing on perceptions and acceptance of an intervention on medication-assisted treatments for recovery home residents. *Alcoholism Treatment Quarterly*, 41(4), 386–393. <https://doi.org/10.1080/07347324.2023.2248907>
4. Cano, I., Best, D., Edwards, M., & Lehman, J. (2017). Recovery capital pathways: Modelling the components of recovery wellbeing. *Drug and Alcohol Dependence*, 181, 11–19. <https://doi.org/10.1016/j.drugalcdep.2017.09.002>
5. Curtis, C. E., Jason, L. A., Olson, B. D., & Ferrari, J. R. (2005). Disordered eating, trauma, and sense of community: Examining women in substance abuse recovery homes. *Women & Health*, 41(4), 87–100. https://doi.org/10.1300/J013v41n04_05
6. Gallardo, K. R., Wilkerson, J. M., Stewart, H. L. N., Zoschke, I. N., Fredriksen Isaacs, C., & McCurdy, S. A. (2024). Being here is saving my life: Resident experiences of living in recovery residences for people taking medication for an opioid use disorder. *Journal of Substance Use and Addiction Treatment*, 158, 209242. <https://doi.org/10.1016/j.josat.2024.209535>
7. Gallardo, K. R., Zoschke, I. N., Stewart, H. L. N., Wilkerson, J. M., Henry, E. A., & McCurdy, S. A. (2024). Supporting medication-assisted recovery in recovery residences. *American Journal of Drug and Alcohol Abuse*, 50(5), 739–747. <https://doi.org/10.1080/00952990.2024.2401983>
8. Guerrero, M., Longan, C., Cummings, C., Kassanits, J., Reilly, A., Stevens, E., & Jason, L. A. (2022). Women's friendships: A basis for individual-level resources and their connection to power and optimism. *The Humanistic Psychologist*, 50(3), 360–375. <https://doi.org/10.1037/hum0000295>
9. Guido, M. R., Hauschild, M. H., Tookes, H. E., Bartholomew, T. S., & Suarez, E., Jr. (2025). Limited acceptance of buprenorphine in recovery residences in South Florida: A secret shopper survey. *Journal of Substance Use and Addiction Treatment*, 168, 209535. <https://doi.org/10.1016/j.josat.2024.209535>
10. Hiller, M. L., Knight, K., & Simpson, D. D. (1999). Prison-based substance abuse treatment, residential aftercare, and recidivism. *Addiction*, 94(6), 833–842.
11. Jason, L. A., Olson, B. D., Mueller, D. G., Walt, L., & Aase, D. M. (2010). Residential recovery homes/Oxford Houses. In J. Kelly & W. White (Eds.), *Addiction recovery management* (pp. 161–179). Humana Press. https://doi.org/10.1007/978-1-60327-960-4_9
12. Jason, L. A., Olson, B. D., & Harvey, R. (2015). Evaluating alternative aftercare models for ex-offenders. *Journal of Drug Issues*, 45(1), 53–68. <https://doi.org/10.1177/0022042614552019>
13. Jason, L. A., Stevens, E., & Light, J. M. (2016). The relationship of sense of community and trust to hope. *Journal of Community Psychology*, 44(3), 334–341. <https://doi.org/10.1002/jcop.21771>
14. Jason, L. A., Guerrero, M., Lynch, G., Stevens, E., Salomon-Amend, M., & Light, J. N. (2020). Recovery home networks as social capital. *Journal of Community Psychology*, 48(3), 645–665. <https://doi.org/10.1002/jcop.22277>
15. Jason, L. A., Bobak, T., Islam, M., Guerrero, M., & Light, J. M. (2022). Social integration in recovery living environments: A dynamic network approach. *Journal of Community Psychology*, 50(3), 1616–1625. <https://doi.org/10.1002/jcop.22739>
16. Kidney, C. A., Alvarez, J., Jason, L. A., Ferrari, J. R., & Minich, L. (2011). Residents of mutual help recovery homes: Characteristics and outcomes of four U.S. ethnic subgroups. *Drugs: Education, Prevention & Policy*, 18(1), 32–39. <https://doi.org/10.3109/09687630903440022>
17. Korch, R. A., Polcin, D. L., & Bond, J. C. (2016). Interaction of motivation and social support on abstinence among recovery home residents. *Journal of Drug Issues*, 46(3), 164–177. <https://doi.org/10.1177/0022042616629514>
18. Legler, R., Chiaromonte, D., Patterson, M., Allis, A., Runion, H., & Jason, L. (2012). The effects of children on the process of recovery in Oxford Houses. *Journal of Applied Medical Sciences*, 1(2), 41–50.
19. Light, J. M., Jason, L. A., Stevens, E. B., Callahan, S., & Stone, A. (2016). A mathematical framework for recovery house social integration. *Group Dynamics*, 20(1), 51–64. <https://doi.org/10.1037/gdn0000040>
20. Lo Sasso, A. T., Byro, E., Jason, L. A., Ferrari, J. R., & Olson, B. (2012). Benefits and costs of mutual-help recovery homes: The Oxford House model. *Evaluation and Program Planning*, 35(1), 47–53. <https://doi.org/10.1016/j.evalprogplan.2011.06.006>
21. Majer, J. M., Jason, L. A., & Bobak, T. J. (2022). Understanding recovery capital in relation to categorical 12-step involvement and abstinence social support. *Addiction Research & Theory*, 30(3), 207–212. <https://doi.org/10.1080/16066359.2021.1999935>
22. Martin, S. S., O'Connell, D. J., Paternoster, R., & Bachman, R. D. (2011). The long-term influence of TC treatment on re-arrest. *Journal of Drug Issues*, 41(2), 179–196.
23. Mericle, A. A., Carrico, A. W., Hemberg, J., de Guzman, R., & Stall, R. (2020). Addressing the needs of gay and bisexual men in LGBT-specific recovery housing. *Journal of Homosexuality*, 67(6), 793–815. <https://doi.org/10.1080/00918369.2018.1555394>
24. Mericle, A. A., Carrico, A. W., Hemberg, J., Stall, R., & Polcin, D. L. (2019). Improving recovery outcomes among MSM: The role of recovery housing. *Journal of Substance Use*, 24(2), 140–146. <https://doi.org/10.1080/14659891.2018.1523966>
25. Mericle, A. A., Slaymaker, V., Gliske, K., Ngo, Q., & Subbaraman, M. S. (2022). The role of recovery housing during outpatient substance use treatment. *Journal of Substance Abuse Treatment*, 133, 108638. <https://doi.org/10.1016/j.jsat.2021.108638>
26. Miles, J., Howell, J., Sheridan, D., Braucht, G., & Mericle, A. (2020). Supporting individuals using medications for opioid use disorder in recovery residences. *American Journal of Drug and Alcohol Abuse*, 46(3), 266–272. <https://doi.org/10.1080/00952990.2020.1719410>
27. Olson, B. D., Viola, J., Jason, L. A., Davis, M. I., Ferrari, J. R., & Rabin-Belyaev, O. (2006). Economic costs of Oxford House inpatient treatment and incarceration. *Journal of Prevention & Intervention in the Community*, 31(1–2), 63–72. https://doi.org/10.1300/J005v31n01_06
28. Ortiz, E., Alvarez, J., Jason, L. A., Ferrari, J. R., & Groh, D. (2009). Abstinence social support: The impact of children in Oxford House. *Journal of Groups in Addiction & Recovery*, 4(1–2), 71–81. <https://doi.org/10.15560350802712413>
29. Permut, M., Greene, P. A., Stevens, E., & Jason, L. A. (2019). Gender differences between romantic relationships and relapse in Oxford House residents. *Alcoholism Treatment Quarterly*, 37(3), 302–314. <https://doi.org/10.1080/07347324.2018.1544057>
30. Polcin, D. L., & Korch, R. (2017). Housing status, psychiatric symptoms, and substance abuse outcomes among sober living house residents. *Addictive Disorders & Their Treatment*, 16(3), 138–150. <https://doi.org/10.1097/ADT.0000000000000105>
31. Polcin, D. L., Korch, R., Bond, J., & Galloway, G. (2010). Sober living houses: 18-month outcomes. *Journal of Substance Abuse Treatment*, 38(4), 356–365. <https://doi.org/10.1016/j.jsat.2010.02.003>
32. Polcin, D. L., Korch, R., Bond, J., & Galloway, G. (2010). Combined outpatient treatment and sober living houses. *Journal of Substance Use*, 15(5), 352–366. <https://doi.org/10.3109/14659890903531279>
33. Polcin, D. L., Korch, R., Mericle, A. A., Mahoney, E., & Hemberg, J. (2017). Problems and service needs among ex-offenders with HIV risk behaviors. *Criminal Justice Studies*, 30(4), 381–400.
34. Polcin, D. L., Korch, R., Witbrodt, J., Mericle, A. A., & Mahoney, E. (2018). Motivational interviewing case management for probationers/parolees. *Criminal Justice and Behavior*, 45(11), 1634–1659. <https://doi.org/10.1177/0093854818784099>
35. Polcin, D. L., Mahoney, E., Witbrodt, J., Subbaraman, M., & Mericle, A. A. (2023). Outcomes among sober living house residents who relapse: Role of recovery capital. *Journal of Psychoactive Drugs*. Advance online publication. <https://doi.org/10.1080/02791072.2023.2225502>
36. Prendergast, M. L., Hall, E. A., Wexler, H. K., Melnick, G., & Cao, Y. (2004). Amity prison-based therapeutic community: 5-year outcomes. *The Prison Journal*, 84(1), 36–60.
37. Reif, S., George, P., Braude, L., Dougherty, R. H., Daniels, A. S., Ghose, S. S., & Delphin-Rittmon, M. E. (2014). Recovery housing: Assessing the evidence. *Psychiatric Services*, 65(3), 295–300. <https://doi.org/10.1176/appi.ps.201300243>
38. Soto-Nevarez, A., Abo, M., Hudson, M., Bobak, T., & Jason, L. A. (2023). Lived experiences of Oxford House residents prescribed medication-assisted treatment. *Journal of Community Psychology*, 51(7), 2828–2844. <https://doi.org/10.1002/jcop.23038>
39. Stevens, E., Guerrero, M., Green, A., & Jason, L. A. (2018). Relationship of hope, sense of community, and quality of life. *Journal of Community Psychology*, 46(5), 567–574. <https://doi.org/10.1002/jcop.21959>
40. Tuten, M., Shadur, J. M., Stitzer, M., & Jones, H. E. (2017). Reinforcement-based treatment vs. RBT plus recovery housing. *Journal of Substance Abuse Treatment*, 72, 48–55. <https://doi.org/10.1016/j.jsat.2016.09.001>
41. Vanderplaschen, W., Colpaert, K., Autrique, M., Rapp, R. C., Pearce, S., Broekaert, E., & Vandervelde, S. (2013). Therapeutic communities for addictions: A recovery-oriented review. *The Scientific World Journal*, 2013, 427817. <https://doi.org/10.1155/2013/427817>
42. Wilkerson, J. M., Gallardo, K. R., Rodriguez, S., Brown, H. S., Ganduglia Cazaban, C. M., Yang, J. J., Herrera, E. R., Zoschke, I. N., Stewart, H. L. N., & McCurdy, S. A. (2024). Expansion of recovery residences for people taking medications for OUD: Project HOMES study protocol. *BMJ Open*, 14(11), e084115. <https://doi.org/10.1136/bmjopen-2024-084115>
43. Wood, C. A., Duello, A., Miles, J., Lohmann, B., Gochez-Kerr, T., Richardson, K., Anderson-Harper, R., & Winograd, R. P. (2022). Acceptance of medications for opioid use disorder in recovery housing programs. *Journal of Substance Abuse Treatment*, 138, 108747. <https://doi.org/10.1016/j.jsat.2022.108747>

Credits: Eric Martin, original author

Contributors: Tony Vezina, BSW, CADC-II, CRM-II, QMHA-R

Madara Kanhalikham, B.S., QMHA-II, CADC-R

Kristi McKinney, Ed.D, CADC-III, QMHPC

Scan the QR code to learn

how to certify your recovery residence with CCAPP.



California Consortium of
Addiction Programs and
Professionals